


PLASTIC PARTS for PCB






LED SPACER SUPPORT
LED HOLDER / MASK
LIGHT PIPE

2

TOPTTEK[®]
HARDWARE ELECTRONIC MANUFACTURER




www.toptek-co.com




info@toptek-co.com

www.toptek-co.com





PART NO.	CHASSIS	THICKNESS	ØC	PAGE
LED3-29	Ø4.3	0.8	3.0	2-26
LED3-4	Ø4.5	0.8	3.0	2-25
LED3-6	Ø4.5	0.8	3.0	2-25
LED3-1	Ø4.5	0.8~1.2	3.1	2-25
LED3-8	Ø4.5	0.8~1.2	3.1	2-25
LED3-20	Ø4.5	1.0	3.0	2-26
LED3-7	Ø4.5	1.6	3.0	2-25
LED3-2	Ø4.5		3.0	2-25
LED3-23	Ø4.8	0.8	3.0	2-26
LED3-38	Ø5.0	0.8	2.8	2-28
LED3-22	Ø5.0	0.8	3.0	2-26
LED3-37	Ø5.0	0.8	3.0	2-28
LED3-31	Ø5.0	0.8	3.0	2-32
LED3-5	Ø5.0	1.0~1.1	3.0	2-25
LED3-17-0.6	Ø5.2	0.6	2.9	2-32
LED3-18	Ø5.2	0.8	2.9	2-31
LED3-28	Ø5.2	0.8	3.0	2-27
LED3-25	Ø5.2	0.8	3.0	2-31
LED3-40	Ø5.2	0.8~1.0	2.8	2-33
LED3-17	Ø5.2	0.8~1.0	2.9	2-32
LED3-35	Ø5.2	0.8~1.0	2.9	2-32
LED3-42	Ø5.2	0.8~1.0	2.95	2-33
LED3-30	Ø5.2	1.1	3.0	2-32
LED3-41	Ø5.2	1.2	2.8	2-33
LED3-24	Ø5.2	1.2	3.0	2-31
LED3-34	Ø5.3	0.8	3.1	2-26
LED5-11	Ø6.0	0.8~1.0	5.1	2-29
LED5-5	Ø6.0		5.1	2-27
LED5-13	Ø6.2	1.2~1.6	5.1	2-29



PART NO.	CHASSIS	THICKNESS	ØC	PAGE
LED3-16	Ø6.35	0.6~1.0	3.0	2-31
LED3-16M	Ø6.35	1.0~1.2	3.0	2-31
LED3-19	Ø6.35		3.1	2-27
LED5-8	Ø6.35		5.0	2-28
LED3-33	Ø6.35~Ø6.4	0.8	3.0	2-31
LED3-15	Ø6.4	0.6~1.0	3.0	2-31
LED3-15M	Ø6.4	1.0~1.2	3.0	2-31
LED5-2	Ø6.4	3.0	5.1	2-28
LELG-1F	Ø6.4		3.0	2-33
LED5-1	Ø6.4		5.0	2-27
LED5-1S	Ø6.4		5.0	2-27
LED5-16S	Ø6.5	0.6~1.2	5.0	2-30
LED5-14	Ø6.5	0.8~1.0	5.0	2-30
LED5-28	Ø7.0	0.6~0.8	4.9	2-29
LED5-9S	Ø7.0	0.8	5.1	2-28
LED5-24	Ø7.0	0.8~1.0	5.0	2-33
LED5-9	Ø7.0	0.8~1.4	5.1	2-28
LED5-24M	Ø7.0	1.2	5.0	2-33
LED5-24L	Ø7.0	1.6	5.0	2-33
LED5-6	7.0X6.0	1.0	5.8	2-28
LED5-25	Ø7.2	1.2	5.0	2-30
LED3-14	Ø7.5	0.6~1.0	3.0	2-31
LED5-18	Ø7.5	0.6~1.0	5.0	2-31
LED3-14M	Ø7.5	1.0~1.2	3.0	2-31
LED5-18M	Ø7.5	1.0~1.2	5.0	2-31
LED5-18L	Ø7.5	1.5	5.0	2-31
LED5-17	Ø9.0	0.6~1.0	5.0	2-31
LED3-17M	Ø9.0	1.0~1.2	5.0	2-31

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	PACKAGE
LED-1	1.0	2000
LED-1.5	1.5	
LED-1.5L	1.5	
LED-2	2.0	
LED-2.5	2.5	
LED-3	3.0	
LED-3.5	3.5	
LED-4	4.0	
LED-4.5	4.5	
LED-5	5.0	
LED-5.5	5.5	
LED-6	6.0	
LED-6.5	6.5	
LED-6.8	6.8	
LED-7	7.0	
LED-7.5	7.5	

PART NO	A	PACKAGE
LED-8	8.0	2000
LED-8.5	8.5	
LED-8.8	8.8	
LED-9	9.0	
LED-9.5	9.5	
LED-10	10.0	
LED-10S	10.0	
LED-10.5	10.5	
LED-11	11.0	
LED-11.5	11.5	
LED-12	12.0	
LED-12.5	12.5	
LED-13	13.0	
LED-13.5	13.5	
LED-14	14.0	1000
LED-14.5	14.5	
LED-15	15.0	
LED-15.5	15.5	

PART NO	A	PACKAGE
LED-16	16.0	1000
LED-16.5	16.5	
LED-17	17.0	
LED-17.5	17.5	
LED-17.7	17.7	
LED-18	18.0	
LED-18.5	18.5	
LED-19	19.0	
LED-19.5	19.5	
LED-20	20.0	
LED-20.5	20.5	
LED-21	21.0	
LED-21.5	21.5	
LED-22	22.0	
LED-22.5	22.5	
LED-23	23.0	
LED-23.5	23.5	
LED-24	24.0	
LED-28	28.0	

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PART NO	A	B	C	PACKAGE
LEDW-2	2.0	5.6	3.5	2000
LEDW-5	5.0	5.0	3.6	
LEDW-7.5	7.5			
LEDW-9	9.0			
LEDW-12	12.0			
LEDW-15	15.0			5.6
LEDW-16	16.0			
LEDW-17	17.0			
LEDW-18.5	18.5			
LEDW-19	19.0			
LEDW-21	21.0			
LEDW-21.5	21.5			
LEDW-22	22.0			
LEDW-23.5	23.5			



PART NO	PACKAGE
LEDW-20	1000



LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	PACKAGE
LEDEW-5	5.0	1000
LEDEW-8.5	8.5	
LEDEW-15	15.0	
LEDEW-17	17.0	
LEDEW-17.5	17.5	

PART NO	PACKAGE
LEDSW-18.5	1000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDLA-9.8	2000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



FOR LEDS-0.8-LEDS-3.5

PART NO	A	PACKAGE
LEDS-0.8	0.8	2000
LEDS-1	1.0	
LEDS-1.5	1.5	
LEDS-2	2.0	
LEDS-2.5	2.5	
LEDS-3	3.0	
LEDS-3.5	3.5	
LEDS-4	4.0	
LEDS-4.5	4.5	
LEDS-5	5.0	
LEDS-5.5	5.5	
LEDS-6	6.0	
LEDS-6.5	6.5	


PART NO	A	PACKAGE
LEDS-7	7.0	2000
LEDS-7.5	7.5	
LEDS-8	8.0	
LEDS-8.5	8.5	
LEDS-9	9.0	
LEDS-9.5	9.5	
LEDS-9.8	9.8	
LEDS-10	10.0	
LEDS-10.5	10.5	
LEDS-11	11.0	
LEDS-11.5	11.5	
LEDS-12	12.0	
LEDS-12.5	12.5	

PART NO	A	PACKAGE
LEDS-13	13.0	2000
LEDS-13.5	13.5	
LEDS-14	14.0	
LEDS-14.5	14.5	
LEDS-15	15.0	
LEDS-15.5	15.5	
LEDS-16	16.0	
LEDS-16.5	16.5	1000
LEDS-17	17.0	
LEDS-17.5	17.5	
LEDS-18	18.0	
LEDS-18.5	18.5	
LEDS-19	19.0	
LEDS-19.5	19.5	
LEDS-20	20.0	
LEDS-20.5	20.5	
LEDS-21	21.0	
LEDS-21.5	21.5	
LEDS-22	22.0	
LEDS-22.5	22.5	
LEDS-23	23.0	
LEDS-23.5	23.5	
LEDS-24	24.0	



LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





PART NO	A	PACKAGE
LEDS-3S	3.0	2000
LEDS-4S	4.0	
LEDS-4.5S	4.5	
LEDS-5S	5.0	
LEDS-5.5S	5.5	
LEDS-6S	6.0	
LEDS-6.5S	6.5	
LEDS-7S	7.0	
LEDS-7.5S	7.5	
LEDS-8S	8.0	
LEDS-8.5S	8.5	
LEDS-9S	9.0	
LEDS-9.5S	9.5	
LEDS-10S	10.0	
LEDS-11S	11.0	
LEDS-11.5S	11.5	
LEDS-12S	12.0	
LEDS-12.5S	12.5	
LEDS-13S	13.0	
LEDS-13.5S	13.5	

PART NO	A	PACKAGE
LEDS-14.5S	14.5	2000
LEDS-15S	15.0	
LEDS-15.5S	15.5	
LEDS-16S	16.0	
LEDS-16.5S	16.5	
LEDS-17S	17.0	1000
LEDS-17.5S	17.5	
LEDS-18S	18.0	
LEDS-18.5S	18.5	
LEDS-19S	19.0	
LEDS-20S	20.0	
LEDS-20.5S	20.5	
LEDS-21S	21.0	
LEDS-21.5S	21.5	
LEDS-22S	22.0	
LEDS-22.5S	22.5	
LEDS-23S	23.0	

LED SPACER SUPPORT


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
LEDSB-11	2000

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDE-17.5	1000



LED SPACER SUPPORT




- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LEDL-3	2000

LED SPACER SUPPORT




- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LEDL-5.5	2000

LED SPACER SUPPORT



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm





PART NO	PACKAGE
LEH3-16	2000

LED SPACER SUPPORT



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LED2M-3.6	2000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEDF-2	6.0	2000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEDF-3	4.2	2000

LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
COC8-5	6.0	2000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEDD-12	6.0	1000



LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDZ3-9	2000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	C	PACKAGE
LEDZ5-2	2.0	5.9	2000
LEDZ5-3	3.0		
LEDZ5-4	4.0		
LEDZ5-5	5.0		
LEDZ5-6	6.0		
LEDZ5-7	7.0		
LEDZ5-8	8.0		
LEDZ5-9	9.0		
LEDZ5-10	10.0		

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	C	PACKAGE
LEDX5-1	9.0	6.0	2000
LEDX5-2	12.5		1000

LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEDXA5-2	6.4	1000



LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PARTNO	A	C	PACKAGE
LEDX3-1	9.5	4.1	1000
LEDX3-3	8.0		

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PARTNO	A	PACKAGE
LEDO-6	6.0	2000
LEDO-9.5	9.5	
LEDO-15.5	15.5	1000

LELED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PARTNO	A	PACKAGE
LEDXV-9.5	9.5	2000
LEDXV-22.2	22.2	

LED SPACER SUPPORT



- ◆ MATERIAL: ABS (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
LEDXA-15.6	2000



LED SPACER SUPPORT



- ◆ MATERIAL:PBT (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LEDAA-22	1000

LED SPACER SUPPORT



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PARTNO	A	B	PACKAGE
LEDM-3	3.0	1.0	2000
LEDM-4	4.0	1.0	
LEDM-5	5.0	1.5	1000
LEDM-16	16.0	13.0	

LED SPACER SUPPORT




- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PARTNO	PACKAGE
LEDQ-5	2000

LED HOLDER



- ◆ MATERIAL:TPE
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	A	PACKAGE
LEDAJ-1.3	1.3	2000
LEDAJ-7.9	7.9	

LED SPACER SUPPORT




- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LEDHB-2.3	2000

LED SPACER SUPPORT



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LEDBA-2.5	1000

LED SPACER SUPPORT



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LEDBB-3	2000

LED SPACER SUPPORT




- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LEDBC-1.6	2000

LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDHC-4	2000


LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PART NO	A	PACKAGE
LEDG-3	3.0	2000
LEDG-10	10.1	




PART NO	A	PACKAGE
LEDG-4	4.0	2000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PART NO	A	PACKAGE
LEDH-1	1.0	2000
LEDH-1.5	1.5	
LEDH-2	2.0	
LEDH-2.5	2.5	
LEDH-3	3.0	
LEDH-3.5	3.5	
LEDH-4	4.0	
LEDH-4.5	4.5	
LEDH-5	5.0	
LEDH-5.5	5.5	
LEDH-6	6.0	
LEDH-6.5	6.5	

PART NO	A	PACKAGE
LEDH-7	7.0	2000
LEDH-7.5	7.5	
LEDH-8	8.0	
LEDH-8.5	8.5	
LEDH-9	9.0	
LEDH-9.5	9.5	
LEDH-10	10.0	
LEDH-10.5	10.5	
LEDH-11	11.0	
LEDH-11.5	11.5	
LEDH-12	12.0	
LEDH-12.5	12.5	
LEDH-13	13.0	
LEDH-13.5	13.5	
LEDH-14	14.0	
LEDH-14.5	14.5	
LEDH-15	15.0	
LEDH-15.5	15.5	
LEDH-16	16.0	
LEDH-17	17.0	
LEDH-18	18.0	





LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm


- ◆ MATERIAL: EVA
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	A	PACKAGE
LEDT-2.4	2.4	2000
LEDT-5S	5.0	1000
LEDT-6.4S	6.4	




PART NO	A	PACKAGE
LEDT-5	5.0	1000
LEDT-8	8.0	
LEDT-9	9.0	
LEDT-11	11.0	
LEDT-14.5	14.5	




PART NO	A	PACKAGE
LEDT-16.1	16.1	1000
LEDT-16.4	16.4	
LEDT-17.5	17.5	
LEDT-20	20.2	
LEDT-22	22.0	
LEDT-22.7	22.7	
LEDT-23.5	23.5	
LEDT-26	26.0	

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
LEDV-5.5	2000



PART NO	PACKAGE
LEDV-42	1000

LED SPACER SUPPORT

- ◆ MATERIAL: TPE
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDAK-9.5	2000




LED SPACER SUPPORT

NEW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDXB-7.5	1000


2

LED SPACER SUPPORT

NEW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDBF-10	1000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED SH-2	2000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
LEDSA-6	2000




LED SPACER SUPPORT


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	PACKAGE	
LEDK-2	2.0	2000	
LEDK-3	3.0		
LEDK-4	4.0		
LEDK-6	6.0		
LEDK-7	7.0		
LEDK-8	8.0		
LEDK-9	9.0		
LEDK-10	10.0		
LEDK-11	11.0		1000
LEDK-11.5	11.5		
LEDK-12	12.0		
LEDK-12.5	12.5		
LEDK-13	13.0		
LEDK-14	14.0		
LEDK-18	18.0		
LEDK-20	20.0		



PART NO	PACKAGE
LEDK-4S	2000




PART NO	PACKAGE
LEDK-5	2000



PART NO	PACKAGE
LEDKU-2	1000

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm






PART NO	A	PACKAGE
LEDWK-5.5	5.5	1000
LEDWK-6	6.0	
LEDWK-7	7.0	
LEDWK-8.5	8.5	
LEDWK-9	9.0	
LEDWK-10	10.0	
LEDWK-11	11.0	
LEDWK-12	12.0	
LEDWK-13	13.0	
LEDWK-14	14.0	
LEDWK-15	15.0	
LEDWK-17	17.0	
LEDWK-23	23.0	



LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
LEDWA-23.7	1000

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LECC-8.5	6.0	1000

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
LEDKB-17.7	1000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





MOUNTING HOLES

PART NO	A	B	C	D	PACKAGE
LEDXK3-4.5	6.9	4.5	3.8	3.5	1000
LEDXK3-5.5	8.5	5.5	3.8	4.5	

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	PACKAGE
LEDR-1	1000

LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	B	PACKAGE
LEDU-4	4.0	3.0	2000
LEDU-6	6.0	5.0	
LEDU-9.5	9.5	8.5	
LEDU-11.5	11.5	10.5	

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDU-2	2000



LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm






PART NO	A	C	PACKAGE
LEDMU-8.5	8.5	3.6	1000
LEDMU-10	10.0		
LEDMU-15	15.0		
LEDMU-20	20.0		

LED SPACER SUPPORT






- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




FOR LED54-2.5~LED54-5


PART NO	A	C	PACKAGE
LED54-2	2.0	6.0	2000
LED54-2.5	2.5		1000
LED54-3	3.0		
LED54-3.5	3.5		
LED54-4	4.0		
LED54-4.5	4.5		
LED54-5	5.0		
LED54-5.5	5.5		
LED54-6	6.0		
LED54-6.5	6.5		
LED54-7	7.0		
LED54-7.5	7.5		
LED54-8	8.0		
LED54-8.5	8.5		
LED54-9	9.0		
LED54-9.5	9.5		
LED54-10	10.0		



LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
LD54-10.5	2000



LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm






MOUNTING HOLES
 THICKNESS 1.6

PART NO	A	C	D	PACKAGE
LEKC-5.8	11.0	6.0	5.8	2000
LEKC-7	12.7	6.0	7.0	

LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLE
 THICKNESS 0.6-0.8

PART NO	A	C	D	PACKAGE
LEQU3-1	12.8	4.1	8.0	2000
LEQU3-2	11.3	4.1	6.5	

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDMU-9	1000




LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





PART NO	A	B	PACKAGE
LED3X3	3.0	5.7	2000
LED3X3.5	3.5		
LED3X4	4.0		
LED3X4.5	4.5		
LED3X5	5.0		
LED3X5.5	5.5		
LED3X6	6.0		
LED3X6.5	6.5		
LED3X7	7.0		
LED3X7.5	7.5		
LED3X8	8.0		
LED3X8.5	8.5		

PART NO	A	B	PACKAGE	
LED3X9	9.0	5.7	1000	
LED3X9.5	9.5			
LED3X10	10.0			
LED3X10.5	10.5			
LED3X11	11.0	6.0		
LED3X11.5	11.5	5.7		
LED3X12	12.0			
LED3X12.5	12.5			
LED3X13	13.0			
LED3X13.6	13.6			
LED3X14	14.0			
LED3X14.5	14.5			
LED3X15	15.0			7.0
LED3X15.5	15.5			
LED3X16	16.0			
LED3X16.5	16.5			
LED3X17	17.0			
LED3X17.5	17.5			
LED3X18	18.0			
LED3X18.5	18.5			
LED3X19	19.0			
LED3X19.5	19.5			
LED3X22	22.0			



PART NO	A	B	C	D	E	F	PACKAGE
LED3X13-1	13.0	7.0	0.8	8.0	3.5	4.2	1000
LED3X16-1	16.0	6.0	0.9	11.5	3.9	4.3	






PART NO	PACKAGE
LED3X8R	2000

PART NO	PACKAGE
LED3X1.5R	2000

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES


PART NO	PACKAGE
LEK3X5.3	1000



LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 46 (UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




Ø0.8-Ø1 (X3)
2.54 2.54
MOUNTING HOLES


PART NO	PACKAGE
LED3A-9	1000

2

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED2X7.5	2000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED4X7	2000

LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-208	2000



LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	PACKAGE
★ LEDBJ-3	3.0	2000
LEDBJ-9	9.15	1000
LEDBJ-10	10.15	

LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-344	1000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	PACKAGE
LEDP-3	3.0	2000
LEDP-4	4.0	
LEDP-5	5.0	
LEDP-6	6.0	
LEDP-7	7.0	
LEDP-8	8.0	
LEDP-9	9.0	
LEDP-9.5	9.5	
LEDP-10	10.0	
LEDP-11	11.0	
LEDP-12	12.0	
LEDP-13	13.0	
LEDP-14	14.0	
LEDP-15	15.0	
LEDP-16	16.0	
LEDP-17	17.0	
LEDP-18	18.0	
LEDP-19	19.0	
LEDP-20	20.0	



LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDP3-6.4	500

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
LEC-1	2000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	PACKAGE
LEDJ-4	4.0	2000
LEDJ-4.5	4.5	

PART NO	A	PACKAGE
LEDJ-7.5	7.5	2000
LEDJ-8	8.0	
LEDJ-8.5	8.5	

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





PART NO	PACKAGE
ELH2-27	500



LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDUA-5.4	2000

PART NO	PACKAGE
LEDUA-6.5	2000

PART NO	PACKAGE
LEDUA-8	2000

LED SPACER SUPPORT


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
LEF-1	2000

LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK/COMPUTER
- ◆ UNIT: mm





PART NO	PACKAGE
LEQ-1	2000





LED HOLDER COVER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm






MOUNTING HOLE



PARTNO	PACKAGE
LEQ-2	1000

LED HOLDER COVER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PARTNO	PACKAGE
LEQ-2T	1000

LED CAP

- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/WHITE
- ◆ UNIT: mm




PARTNO	PACKAGE
ELED-1	2000

LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
PUCP-1	1000

LED SPACER SUPPORT




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDI3-3	1000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
EM-45	500

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





PART NO	A	PACKAGE
LEDSS-4	4.0	1000
LEDSS-5	5.0	
LEDSS-6	6.0	
LEDSS-7	7.0	
LEDSS-8	8.0	

LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE Ø4.5

PART NO	PACKAGE
LED3-1B	2000


PART NO	C	PACKAGE
LED3-2	3.0	2000

LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



CHASSIS Ø4.5
THICKNESS 0.8-1.2




CHASSIS Ø5.0
THICKNESS 1.0-1.1

PART NO	A	B	C	D	PACKAGE
LED3-1	5.6	5.0	3.1	3.8	2000
LED3-8	4.6	4.0	3.1	2.8	

PART NO	C	PACKAGE
LED3-5	3.0	2000


LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




CHASSIS Ø4.5
THICKNESS 0.8

PART NO	C	PACKAGE
LED3-4	3.0	2000



CHASSIS Ø4.5
THICKNESS 0.8

PART NO	C	PACKAGE
LED3-6	3.0	2000



CHASSIS Ø4.5
THICKNESS 1.6


PART NO	C	PACKAGE
LED3-7	3.0	2000



LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




CHASSIS Ø4.5
THICKNESS 1.0

PART NO	C	PACKAGE
LED3-20	3.0	2000

LED SPACER SUPPORT



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




CHASSIS Ø4.3
THICKNESS 0.8

PART NO	PACKAGE
LED3-29	2000

LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



CHASSIS Ø4.8
THICKNESS 0.8

PART NO	C	PACKAGE
LED3-23	3.0	2000




CHASSIS Ø5.3
THICKNESS 0.8

PART NO	C	PACKAGE
LED3-34	3.1	2000

LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



CHASSIS Ø5.0
THICKNESS 0.8



PART NO	C	PACKAGE
LED3-22	3.0	1000



LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




HOLE IN CHASSIS
THICKNESS 0.8

PART NO	C	PACKAGE
LED3-28	3.0	2000

LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE Ø6.35

PART NO	C	PACKAGE
LED3-19	3.1	1000

LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



CHASSIS Ø6.4

PART NO	C	PACKAGE
LED5-1	5.0	2000




CHASSIS Ø6.4

PART NO	C	PACKAGE
LED5-1S	5.0	2000

LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



CHASSIS Ø6.0

PART NO	C	PACKAGE
LED5-5	5.1	2000




PART NO	PACKAGE
LED5-5T	2000



LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE Ø5.0
CHASSIS THICKNESS 0.8

PART NO	C	PACKAGE
LED3-37	3.0	2000
LED3-38	2.8	

LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE THICKNESS 1.0

PART NO	C	PACKAGE
LED5-6	5.8	2000

LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




FOR LED5-2A
CHASSIS Ø6.4
THICKNESS 3.0


FOR LED5-2B

PART NO	C	PACKAGE
LED5-2	5.1	1000


LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



CHASSIS Ø6.35



CHASSIS Ø7.0
THICKNESS: E

PART NO	C	PACKAGE
LED5-8	5.0	2000



PART NO	A	C	E	PACKAGE
LED5-9	1.5	5.1	0.8~1.4	1000
LED5-9S	1.0	5.1	0.8	



LED HOLDER

NEW

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





MOUNTING HOLE Ø7.0
THICKNESS 0.6-0.8



PARTNO	C	PACKAGE
LED5-28	4.9	1000

LED HOLDER COVER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





PARTNO	PACKAGE
LED5-8T	2000



PARTNO	PACKAGE
LED5-27T	2000

LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





CHASSIS: ØE
THICKNESS: F

PARTNO	A	B	C	D	E	F	PACKAGE
LED5-11	6.3	1.1	5.1	3.3	6.0	0.8~1.0	2000
LED5-13	6.9	1.8	5.1	3.9	6.2	1.2~1.6	



LED HOLDER

- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm





CHASSIS Ø6.5
THICKNESS 0.6-1.2

PART NO	C	PACKAGE
LED5-16S	5.0	2000

LED HOLDER

- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm





CHASSIS Ø7.2
THICKNESS 1.2

PART NO	C	PACKAGE
LED5-25	5.0	500

LED HOLDER

- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




CHASSIS Ø6.5
THICKNESS 0.8-1.0

PART NO	C	PACKAGE
LED5-14	5.0	2000


LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



CHASSIS: ØE
THICKNESS: F

PART NO	A	B	C	D	E	F	SUITABLE LED	PACKAGE
LED3-14	7.8	9.0	3.0	7.4	7.5	0.6~1.0	3PIN	1000
LED3-14M						1.0~1.2		
LED3-15	6.8	7.2	3.0	6.3	6.4	0.6~1.0	2PIN	
LED3-15M						1.0~1.2		




CHASSIS: ØE
THICKNESS: F

PART NO	A	B	C	D	E	F	SUITABLE LED	PACKAGE
LED5-17	10.9	10.5	5.0	8.8	9.0	0.6~1.0	3PIN	1000
LED5-17M						1.0~1.2		
LED5-18	9.5	9.0	5.0	7.4	7.5	0.6~1.0	2PIN	
LED5-18M						1.0~1.2		
LED5-18L						1.5		

LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




CHASSIS Ø6.35-Ø6.4
THICKNESS 0.8


PART NO	C	PACKAGE
LED3-33	3.0	1000

LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





CHASSIS Ø6.35
THICKNESS: F



CHASSIS Ø5.2
THICKNESS: F

PART NO	C	F	PACKAGE
LED3-16	3.0	0.6~1.0	1000
LED3-16M	3.0	1.0~1.2	

PART NO	C	F	PACKAGE
LED3-18	2.9	0.8	1000
LED3-24	3.0	1.2	



MOUNTING HOLE
THICKNESS 0.8


PART NO	C	PACKAGE
LED3-25	3.0	1000



LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




CHASSIS Ø5.2
THICKNESS: F

PART NO	C	F	S	PACKAGE
LED3-17	2.9	0.8-1.0	Matte	1000
LED3-35	2.9	0.8-1.0	Glossy	

LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




CHASSIS Ø5.2
THICKNESS: F

PART NO	C	F	PACKAGE
LED3-17-0.6	2.9	0.6	1000

LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




CHASSIS: ØE
THICKNESS: T

PART NO	A	C	D	E	T	PACKAGE
LED3-30	5.0	3.0	5.2	5.2	1.1	1000
LED3-31	5.2	3.0	4.95	5.0	0.8	

LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




CHASSIS Ø7.0
THICKNESS: F

PARTNO	C	F	PACKAGE
LED5-24	5.0	0.8~1.0	1000
LED5-24M	5.0	1.2	
LED5-24L	5.0	1.6	

LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLE Ø5.2
THICKNESS: F

PARTNO	A	C	F	PACKAGE
LED3-40	5.3	2.8	0.8~1.0	1000
LED3-41	5.3	2.8	1.2	
LED3-42	5.7	2.95	0.8~1.0	

LED HOLDER

- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



LELG-1A
MOUNTING HOLE Ø6.4


LELG-1B

PARTNO	C	PACKAGE
LELG-1F	3.0	2000



LED COVER



- ◆ MATERIAL: SILICON RUBBER
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PARTNO	A	B	C	D	E	PACKAGE
LEDMK-3I	5.1	3.7	2.2	4.1	5.4	2000
LEDMK-5I	7.1	5.7	4.0	6.1	8.55	

LED COVER



- ◆ MATERIAL: SILICON RUBBER
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PARTNO	A	B	C	D	E	F	PACKAGE
TF-263I	5.8	4.0	2.6	4.8	5.3	1.9	1000
TF-444I	6.0	4.0	2.8	4.8	5.45	1.3	

LED COVER



- ◆ MATERIAL: SILICON RUBBER
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PARTNO	C	PACKAGE
LEDMK-1I	2.9	2000

LED COVER

- ◆ MATERIAL: SILICON RUBBER
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PARTNO	PACKAGE
TF-1298I	1000



LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	A	B	C	D	E	F	適用於有帽緣的	PACKAGE
LEKHD-1	17.65	9.05	5.1	0.9	4.75	4.0	Ø5 LED	1000
LEKHD-2	14.05	6.0	3.1	0.88	4.25	3.0	Ø3 LED	

LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
LED3-14-3S	1000

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	C	PACKAGE
EMD-141	3.0	1000





LIGHT PIPE

- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




◆ LEMA-2




PART NO	PACKAGE
LEMA-2	2000

◆ TF-807



(SILICON WASHER)

◆ M-4





(NUT)

PART NO	PART NO	PACKAGE
LEMA-2F	LEMA-2	1000
	TF-807	
	M-4	

LED HOLDER




- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm



PART NO	PACKAGE
LEMA-3	1000


◆ LEMA-2



(LIGHT PIPE)



◆ TF-807





PART NO	PART NO	PACKAGE
LEMA-3F	LEMA-2	1000
	LEMA-3	
	TF-807	



LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




CHASSIS Ø4.5

PART NO	C	PACKAGE
LED3-3	3.3	2000

LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm






CHASSIS Ø8.0
THICKNESS 1.2-3.0

PART NO	C	PACKAGE
LED5-3	4.9	1000



LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



CHASSIS Ø6.35
THICKNESS 0.8-1.4

PART NO	C	PACKAGE
LED5-4	5.0	1000





CHASSIS Ø6.4
THICKNESS 0.8-1.4

PART NO	C	PACKAGE
LED5-10	5.7	1000




LENS CAP

- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



CHASSIS Ø4.4
THICKNESS 1.57-3.2

PART NO	A	C	PACKAGE
LC3-2	6.3	3.4	1000
LC3-7	2.5	3.4	





CHASSIS Ø4.4
THICKNESS 1.57-3.2

PART NO	C	PACKAGE
★ LC3-12	3.3	1000


LENS CAP

- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



CHASSIS Ø4.4
THICKNESS 1.57-3.2

PART NO	C	PACKAGE
LC3-1	3.3	2000




CHASSIS Ø4.4
THICKNESS 1.57-3.2

PART NO	C	PACKAGE
LC3-6	3.0	2000

LED HOLDER COVER

- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	A	B	PACKAGE
LC3-1T	6.8	5.2	2000
LC3-2T	6.4	4.95	
LC3-3T	6.4	5.0	

LENS CAP



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




CHASSIS Ø6.4
THICKNESS 0.8-6.35

PART NO	C	PACKAGE
LC5-1	5.1	1000

LED HOLDER COVER



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LC5-1T	1000

LED HOLDER COVER



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LC5-2T	1000

LENS CAP



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



CHASSIS Ø6.35
THICKNESS 3.0


PART NO	C	PACKAGE
LC5-2	5.2	1000



LENS CAP



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø6.35

PART NO	PACKAGE
LC5-3	1000

LENS CAP



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




CHASSIS Ø6.4
THICKNESS 0.8

PART NO	C	PACKAGE
LC5-4	5.0	1000

LENS CAP



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




CHASSIS Ø6.4-Ø6.45
THICKNESS 0.8-6.35

PART NO	C	PACKAGE
LC5-5	5.0	2000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø6.4 ~ Ø6.45
THICKNESS 0.8 ~ 6.35

PART NO	C	PACKAGE
LC5-6	5.0	1000

LENS CAP



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-149	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




CHASSIS Ø3.6
 THICKNESS 0.8-1.6

PART NO	C	PACKAGE
LC3-8	3.0	1000

LIGHTPIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø4.6
 THICKNESS 2.0

PART NO	PACKAGE
LEM-123	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



MOUNTING HOLE Ø5.0
 THICKNESS 1.3


PART NO	PACKAGE
LC5-8	1000



LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø6.3
 THICKNESS 0.8

PART NO	PACKAGE
LC5-7	1000

LED COVER



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





PARTNO	PACKAGE
LEMA-1	1000



INFRARED RAYS LAMPSHADE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:PURPLE
- ◆ UNIT:mm



PART NO	PACKAGE
IRCV-1	1000




PART NO	PACKAGE
IRCV-2	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	A	B	C	D	E	F	G	PACKAGE
LEM-7	5.6	3.5	4.5	5.4	5.0	1.2	1.7	1000
LEM-7S	5.6	3.0	4.5	5.4	5.0	1.2	1.7	
LEM-29	4.8	3.4	4.5	5.0	4.3	1.2	1.8	
LEM-161	6.9	4.5	3.8	6.75	6.3	0.7	2.1	

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-54	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-30	1000

LIGHT PIPE






- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PART NO	PACKAGE
LEM-55	2000

LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PARTNO	PACKAGE
LEM-79	1000

LIGHT PIPE


- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PARTNO	PACKAGE
LEM-96	1000

LIGHT PIPE

- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





PARTNO	PACKAGE
LEM-151	500

LED MASK




- ◆ MATERIAL:PMMA
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PART NO	PACKAGE
LEM-1	1000




PART NO	PACKAGE
LEM-2	1000

LED MASK



- ◆ MATERIAL:PMMA
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm

- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT




PART NO	PACKAGE
LEM-16	1000

PART NO	A	PACKAGE
LEM-9	3.0	1000
LEM-62	3.7	

LED MASK



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-36	1000




LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PART NO	A	PACKAGE
LEM-3	1.8	1000
LEM-3L	2.2	




PART NO	PACKAGE
LEM-12	1000



LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-131	500

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-210	1000


LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PART NO	PACKAGE
LEM-63	1000




PART NO	PACKAGE
LEM-73	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PARTNO	PACKAGE
LEM-108	1000

LIGHT PIPE



- ◆ MATERIAL:PMMA
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PARTNO	PACKAGE
LEM-6	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PARTNO	PACKAGE
LEM-40	500

LIGHT PIPE





- ◆ MATERIAL:PMMA
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PARTNO	PACKAGE
LEM-122	500

LIGHT PIPE


- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PART NO	PACKAGE
LEM-205	1000

LIGHT PIPE


- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PART NO	PACKAGE
LEM-137	2000

LIGHT PIPE


- ◆ MATERIAL:PMMA
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PART NO	PACKAGE
LEM-4	500

LIGHT PIPE

- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-11	1000



LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-18	1000

LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PARTNO	PACKAGE
LEM-92	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-212	1000

LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-213	1000



LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-24	500

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-52	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-20	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	C	PACKAGE
LEM-33	3.0	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PARTNO	C	PACKAGE
LEM-103	4.0	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PARTNO	PACKAGE
LEM-114	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø3.0

PARTNO	A	PACKAGE
LEM-5	13.5	1000
LEM-5-57	57.0	500
LEM-93	8.7	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø4.95

PARTNO	PACKAGE
EMP5-29.3	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	A	B	PACKAGE
LEM-13	14.1	3.53	1000
LEM-23	15.75	3.4	

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø3.0

PART NO	PACKAGE
LEM2-5.5	2000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø3.0

PART NO	PACKAGE
LEM-144	2000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



MOUNTING HOLE Ø3.0


PART NO	PACKAGE
LEM-67	2000



LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø1.55

PART NO	A	PACKAGE
LEM-132	20.0	2000
LEM-141	21.8	
LEM-193	29.2	
★ LEM-199	10.16	

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø3.0

PART NO	PACKAGE
LEM-87	2000

LED SPACER SUPPORT



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø3.8

PART NO	PACKAGE
LEM-156	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE: ØD

PART NO	A	B	D	PACKAGE
LEM-53	21.55	2.5	4.3	2000
★ LEM-53-8.5	8.5	2.5	4.2	
★ LEM-53-16.5	16.5	2.5	4.2	
LEM-191	43.5	2.5	4.3	1000
★ LEM-191-37.5	37.5	2.5	4.3	
LEM-198	30.0	2.5	4.3	
LEM-202	54.0	2.5	4.3	
LEM-203	8.5	2.4	4.2	2000



LIGHT PIPE


- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR: TRANSPARENT
- ◆ UNIT:mm



PARTNO	A	PACKAGE
LEM-90	23.6	2000
LEM-91	8.0	
LEM-192	25.85	

LIGHT PIPE


- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR: TRANSPARENT
- ◆ UNIT:mm



PARTNO	A	PACKAGE
LEM-97	21.0	1000
LEM-97S	8.5	
LEM-98	28.0	

LIGHT PIPE

- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PARTNO	A	PACKAGE
LEM-150	4.0	2000
LEM-150-3	3.0	
LEM-150-3.5	3.5	
LEM-150-4	4.0	



LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø1.5

PART NO	PACKAGE
LEM-133	2000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR: TRANSPARENT
- ◆ UNIT:mm




PLASTIC MOUNTING HOLE Ø2.8
METAL MOUNTING HOLE Ø3.0

PART NO	PACKAGE
LEM-88	2000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE: ØD

PART NO	A	B	C	D	PACKAGE
LEM-135	7.0	2.6	0.4	3.0	2000
LEM-167	10.05	2.5	0.45	2.8	
LEM-189	25.0	2.6	0.4	3.0	

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR: TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLE Ø4.3

PART NO	A	PACKAGE
LEM-196	4.0	1000
LEM-197	8.5	

LIGHT PIPE

NEW

- ◆ MATERIAL:PMMA
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





PART NO	PACKAGE
LEM-223	1000

2

LIGHT PIPE


NEW

- ◆ MATERIAL:PC
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LEM-208	2000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



MOUNTING HOLE Ø1.6

PART NO	PACKAGE
LEM-185	2000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PART NO	PACKAGE
LEM-200	2000




LIGHT PIPE

NEW



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



MOUNTING HOLE Ø3.5


PART NO	PACKAGE
LEM-221	1000

2

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





PART NO	A	B	PACKAGE
LEM-70	24.0	29.0	1000
LEM-95	29.0	34.0	
LEM-107	20.5	25.5	

LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	A	B	PACKAGE
LEM-99	4.7	31.0	1000
LEM-115	1.7	28.0	

PART NO	PACKAGE
LEM-110	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



MOUNTING HOLE



PART NO	PACKAGE
LEM-188	1000



LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm






MOUNTING HOLES THICKNESS 1.6

PART NO	PACKAGE
PL2-13.9-F	1000

LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





MOUNTING HOLES

PART NO	PACKAGE
LEM-184	1000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





MOUNTING HOLES

PART NO	PACKAGE
LEM-69	500

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLES



PART NO	PACKAGE
LEM-180	2000




LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



MOUNTING HOLE THICKNESS 1.0





PART NO	PACKAGE
LEM-106	500

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





PART NO	PACKAGE
LEM-28	500

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm







PART NO	PACKAGE
LEM-61	2000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



P.C.B THICKNESS 1.6


PART NO	PACKAGE
LEM-113	500



LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





PARTNO	PACKAGE
LEM-145	2000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PARTNO	PACKAGE
LEM-136	2000

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PARTNO	PACKAGE
LEM-195	1000

LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



PARTNO	PACKAGE
LEM-207	1000

- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PARTNO	PACKAGE
LEM-207B	1000



LIGHT PIPE

- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





MOUNTING HOLES

PART NO	PACKAGE
LPE1-5-20.5	1000

LIGHT PIPE

- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





MOUNTING HOLES

PART NO	PACKAGE
SLP-3	1000

LIGHT PIPE


- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLES

PART NO	A	B	C	PACKAGE
LPF1-517	3.7	10.3	4.0	2000
LPF1-518	4.1	10.7	2.6	

LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PARTNO	PACKAGE
LPE3-7.8	100

LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	PACKAGE
LPE4-3.6	500

LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





PART NO	PACKAGE
LPEB4-1	500

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





MOUNTING HOLES THICKNESS 1.6

PART NO	PACKAGE
LPED2-1	1000

LIGHT PIPE




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




MOUNTING HOLES THICKNESS 1.6

PART NO	PACKAGE
LPED4-1	1000


LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ HOLDER MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-0
- ◆ COLOR:TRANSPARENT
- ◆ HOLDER COLOR:BLACK
- ◆ UNIT:mm




LIGHT PIPE: LP-3
LED HOLDER: LPH-3




MOUNTING HOLES

PART NO	PACKAGE
LP-3V0F	1000

LIGHT PIPE




- ◆ MATERIAL:PMMA (UL)/PC (UL)
- ◆ FLAME CLASS:94HB/94V-0
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm



MOUNTING HOLE Ø1.5

PART NO	PACKAGE
LP-2	2000

- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:BLACK
- ◆ UNIT:mm





PART NO	PACKAGE
LPH-2B	2000



LIGHT PIPE MASK


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
LPH-4	2000


LIGHT PIPE

- ◆ MATERIAL: PMMA
- ◆ COLOR: TRANSPARENT
- ◆ UNIT: mm



PART NO	A	B	PACKAGE
LPG-1	41.5	1.3	250
LPG-2	76.5	1.2	100


- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: TRANSPARENT
- ◆ UNIT: mm



PART NO	PACKAGE
LPG-3	250

LIGHT PIPE


- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-0
- ◆ COLOR: TRANSPARENT
- ◆ UNIT: mm



PART NO	PACKAGE
LEM-166	500




- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PCB LAYOUT.

PARTNO	A	B	C	PACKAGE
LPE1-5-16	5.0	16.0	14.0	1000
LPE1-5-19	5.0	19.0	17.0	
LPE1-5-22	5.0	22.0	20.0	
LPE1-10-16	10.0	16.0	14.0	
LPE1-10-19	10.0	19.0	17.0	
LPE1-10-22	10.0	22.0	20.0	
LPE1-10-26	10.0	27.0	25.0	
LPE1-15-16	15.0	16.0	14.0	
LPE1-15-19	15.0	19.0	17.0	
LPE1-15-22	15.0	22.0	20.0	




PCB LAYOUT.

PART NO	A	B	C	PACKAGE
LPE2-5-16	5.0	16.0	14.0	1000
LPE2-5-19	5.0	19.0	17.0	
LPE2-5-22	5.0	22.0	20.0	
LPE2-10-16	10.0	16.0	14.0	
LPE2-10-19	10.0	19.0	17.0	
LPE2-10-22	10.0	22.0	20.0	
LPE2-15-16	15.0	16.0	14.0	
LPE2-15-19	15.0	19.0	17.0	
LPE2-15-22	15.0	22.0	20.0	




PCB LAYOUT.

PART NO	A	B	C	PACKAGE
LPE3-5-16	5.0	16.0	14.0	500
LPE3-5-19	5.0	19.0	17.0	
LPE3-5-22	5.0	22.0	20.0	
LPE3-10-16	10.0	16.0	14.0	
LPE3-10-19	10.0	19.0	17.0	
LPE3-10-22	10.0	22.0	20.0	
LPE3-15-16	15.0	16.0	14.0	
LPE3-15-19	15.0	19.0	17.0	
LPE3-15-22	15.0	22.0	20.0	



PCB LAYOUT.

PART NO	A	B	C	PACKAGE
LPE4-5-16	5.0	16.0	14.0	500
LPE4-5-19	5.0	19.0	17.0	
LPE4-5-22	5.0	22.0	20.0	
LPE4-10-16	10.0	16.0	14.0	
LPE4-10-19	10.0	19.0	17.0	
LPE4-10-22	10.0	22.0	20.0	
LPE4-15-16	15.0	16.0	14.0	
LPE4-15-19	15.0	19.0	17.0	
LPE4-15-22	15.0	22.0	20.0	




PART NO	A	B	C	PACKAGE
LPE4-5-18V	5.0	18.0	16.0	100
LPE4-10-24V	10.0	24.0	22.0	



LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm




PART NO	A	B	SURFACE	PACKAGE
LEU-1	1.1	3.4	Bright	2000
LEU-2	1.05	3.35	Matte	

CHASSIS Ø3.5
THICKNESS 0.8~1.0

LIGHT PIPE



- ◆ MATERIAL:PC (UL)
- ◆ FLAME CLASS:94V-2
- ◆ COLOR:TRANSPARENT
- ◆ UNIT:mm





MOUNTING HOLE Ø4.5
THICKNESS 1.6

PART NO	PACKAGE
LEU-4	1000


LENS CAP



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm



MOUNTING HOLES






PART NO	PACKAGE
PMR-3	2000

LENS CAP



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm






MOUNTING HOLES
THICKNESS 1.6

PART NO	PACKAGE
PMR-10	1000

LENS CAP



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





PART NO	A	PACKAGE
PMR-1	6.4	2000
PMR-2	7.86	

LENS CAP




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
PMR-6	2000

LED HOLDER



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
PMR-7	1000

LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
PMR-8	1000

