


PLASTIC PARTS for PCB



90° LED LED HOLDER

3

TOPTTEK®
HARDWARE ELECTRONIC MANUFACTURER




www.toptek-co.com




info@toptek-co.com

www.toptek-co.com

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-301	3.4	2000

3

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-301A	3.4	2000
LED-301(B)	3.3	

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-312	3.3	2000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-313	3.2	2000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLES


PART NO	C	PACKAGE
LED-314	3.2	2000

3

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-316	3.2	2000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-326	3.4	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-325	1000

90° LED HOLDER




- ◆ MATERIAL:ABS
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	C	PACKAGE
LED3-21	3.2	2000

3

90° LED HOLDER




- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	C	PACKAGE
LED-319	4.2	1000

90° LED HOLDER




- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	C	PACKAGE
LED-343	3.2	1000

90° LED HOLDER



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	A	C	PACKAGE
LED-502	4.95	5.2	2000
LED-502S	5.0	4.9	

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED1L-2.5	5.1	2000

90° LED HOLDER



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: TRANSPARENT
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-505	5.1	1000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-504	6.0	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-542	6.0	1000

90° LEDHOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-501	6.1	1000

90° LEDHOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-503	6.1	1000

90° LEDHOLDER



- ◆ MATERIAL: PC (UL)
- ◆ FLAME CLASS: 94V-2
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-535	6.1	500

90° LEDHOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-528	5.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
LEAH-4.5	2000


3

90° LED HOLDER

NEW




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-328	3.8	1000

MOUNTING HOLES

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	A	B	C	PACKAGE
LED-306	2.1	4.4	3.4	1000
LED-306(A)	1.5	4.3	3.4	


MOUNTING HOLES




PART NO	C	PACKAGE
LED-306(B)	3.3	1000

MOUNTING HOLES

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLES

PART NO	C	PACKAGE
LED-307	3.3	1000
LED-307(A)	3.2	





MOUNTING HOLES

PART NO	C	PACKAGE
LED-308	3.4	1000

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





MOUNTING HOLES

PART NO	C	PACKAGE
LED-305	3.3	1000

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-317	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-322	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-323	3.4	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-324	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-310	4.1	1000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-342	4.0	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-525	5.1	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	PACKAGE
LED-521	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





MOUNTING HOLES

PART NO	C	PACKAGE
LED-330	3.3	1000

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PARTNO	C	PACKAGE
LED-331	3.4	1000

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





MOUNTING HOLES

PARTNO	C	PACKAGE
LED-340	3.3	1000

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PARTNO	C	PACKAGE
LED-345	3.3	1000


90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	C	PACKAGE
LH-330	3.3	1000




PART NO	C	PACKAGE
KLH-330	3.3	1000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
KLH-331	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LH-340	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
KLH-340	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
KLH-341	3.3	1000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
KLH-342	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LED-341	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-6301	4.1	2000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LED-6302	3.2	2000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LED-6501	5.0	2000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	PACKAGE
LEKH-6301	1000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)/ABS (UL)
- ◆ FLAME CLASS: 94HB/94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	A	B	PACKAGE
LEJ-4	4.0	6.0	1000
LEJ-5	5.0	7.0	
LEJ-6	6.0	8.0	
LEJ-7	7.0	9.0	
LEJ-8	8.0	10.0	
LEJ-9	9.0	11.0	
LEJ-13	13.0	15.0	


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0




PART NO	PACKAGE
LEJ-4S	1000

PART NO	PACKAGE
LEJN-4	1000

90° LED HOLDER



- ◆ MATERIAL: PC+ABS (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEJT-4	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEJ3-5	1000

90° LED HOLDER



- ◆ MATERIAL: ABS (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: NATURAL
- ◆ UNIT: mm




PART NO	PACKAGE
LEJA-5	2000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-301	3.4	1000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-302	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-303	4.1	1000
LEK-303L	4.25	

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-311	4.2	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLES


PART NO	C	PACKAGE
LEK-541	5.0	1000

3

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES
THICKNESS 1.6

PART NO	C	PACKAGE
LEK-548	5.1	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-525	5.3	1000

90° LED HOLDER



- ◆ MATERIAL:POM
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	C	PACKAGE
LEK-526	4.8	1000

90° LED HOLDER



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	C	PACKAGE
LEK-546	6.0	1000

90° LED HOLDER



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	C	PACKAGE
LEK-312	4.2	1000

90° LED HOLDER



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	C	PACKAGE
LEK-3111	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-314	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	A	B	C	PACKAGE
LEK-304	1.0	6.4	3.5	1000
LEK-310	2.0	6.35	3.5	

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK54-17	5.0	1000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-507	5.2	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-502	5.2	1000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-516	5.2	2000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEJB-4	5.0	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES
THICKNESS 1.6

PART NO	C	PACKAGE
LEK-549	5.0	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES
THICKNESS 1.0

PART NO	C	PACKAGE
LEK-533	5.2	1000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-505	5.8	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-534	6.2	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES


PART NO	C	PACKAGE
LEK-539	6.2	1000

90° LED HOLDER

NEW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLES


PARTNO	C	PACKAGE
LEK-535	6.0	1000

90° LED HOLDER

NEW



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PARTNO	C	PACKAGE
LEK-547	6.2	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	A	B	C	D	E	F	PACKAGE
LEK503-7	10.75	7.0	6.0	2.5	6.1	2.8	1000
LEK503-18	21.75	18.0	6.0	3.1	5.9	2.6	

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PARTNO	C	PACKAGE
LEK-503	6.0	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEK-501	6.2	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEK-528	6.0	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEK-508	6.0	1000

90° LED HOLDER





- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PART NO	A	B	C	D	E	F	G	H	PACKAGE
LED5L-5	7.5	5.0	6.1	3.0	3.6	6.0	3.3	1.0	1000
LED5L-8	7.5	8.0	6.05	3.0	3.7	6.0	3.3	1.5	
LED5L-11	7.5	11.0	6.1	3.0	3.6	6.1	3.0	1.5	
LED5L-14	7.5	14.0	6.05	3.0	3.7	6.1	3.3	1.5	
LED5L-17	7.5	17.5	6.2	3.0	3.6	6.1	3.0	1.2	

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	A	B	C	D	E	F	H	PACKAGE
LED5L-12	7.5	12.0	6.0	2.5	3.6	6.1	1.2	1000

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-517	6.0	1000

90° LED HOLDER


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-506	6.1	1000

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	B	C	D	E	F	H	PACKAGE
LED5L-7	7.5	7.0	6.2	2.5	4.0	6.0	1.7	1000
LED5L-10	7.5	10.0	6.2	2.3	4.0	6.0	1.5	
LED5L-13	7.5	13.5	6.2	2.3	4.0	6.0	1.5	

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	B	C	D	E	F	H	PACKAGE
LED5L-18	7.5	18.4	6.0	2.15	3.6	6.0	1.9	1000

90° LED HOLDER





- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	C	PACKAGE
LEK-316	3.9	2000

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-348	3.2	1000

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm





MOUNTING HOLES

PART NO	C	PACKAGE
LEK-307	3.3	1000

90° LED HOLDER


- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-323	4.2	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEK-327	4.1	1000

3

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEK-325	3.3	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEK-320	3.3	1000

90° LED HOLDER



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




MOUNTING HOLES
THICKNESS 1.6


PART NO	C	PACKAGE
LEK-345	4.1	2000

3

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLES

PART NO	C	PACKAGE
LEK-512	5.05	1000




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-515	4.8	1000

90° LED HOLDER



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-331	3.3	1000


90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm



MOUNTING HOLES

PART NO	C	PACKAGE
LEK-330	3.3	1000




MOUNTING HOLES

PART NO	C	PACKAGE
LEK-340	3.3	1000

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	PACKAGE
LEK-518	1000

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES

PART NO	PACKAGE
LEK-520	1000

90° LED HOLDER



- ◆ MATERIAL:NYLON 66 (UL)
◆ FLAME CLASS:94V-2/94V-0
◆ COLOR:BLACK
◆ UNIT:mm




PART NO	PACKAGE
LEK-315	1000

LED HOLDER



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:BLACK
- ◆ UNIT:mm




PART NO	PACKAGE
LED101	500

90° LED HOLDER



- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	C	PACKAGE
LEDA-4	4.3	1000

90° LED HOLDER




- ◆ MATERIAL:NYLON 66 (UL)
- ◆ FLAME CLASS:94V-2/94V-0
- ◆ COLOR:NATURAL/BLACK
- ◆ UNIT:mm




PART NO	C	PACKAGE
LEDA-5	3.5	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	C	PACKAGE
LEDA-6	3.5	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)/ABS (UL)
- ◆ FLAME CLASS: 94HB/94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	PACKAGE
LEDA-2S	0.9	1000
LEDA-2	1.0	

90° LED HOLDER



- ◆ MATERIAL: ABS (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEK-530	1000

90° LED HOLDER



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	A	B	C	PACKAGE
LEK-509	3.0	7.0	6.0	1000
LEK-531	7.0	10.3	6.0	

MOUNTING HOLES

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm





MOUNTING HOLES

PART NO	C	PACKAGE
LEK-513	6.0	2000

3

90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: BLACK
- ◆ UNIT: mm




MOUNTING HOLES


PART NO	C	PACKAGE
LEK-545	6.2	1000

LED SPACER SUPPORT

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



MOUNTING HOLES




FOR LEDA-17-1

PART NO	A	B	C	PACKAGE
LEDA-17			4.1	1000
LEDA-17-1	5.0	2.0	4.1	

90° LED HOLDER




- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



PARTNO	A	B	PACKAGE
LED1L-5	5.0		2000
LED1L-6	6.0	3.0	
LED1L-7	7.0	3.0	
LED1L-8	8.0	3.0	
LED1L-9	9.0	3.0	1000
LED1L-10	10.0	2.5	


90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



MOUNTING HOLES

PARTNO	A	B	PACKAGE
LEKH-3	3.0	2.9	1000
LEKH-6	6.0	2.5	
LEKH-7	7.0	2.5	
LEKH-9	9.0	2.9	
LEKH-10	10.0	2.9	




MOUNTING HOLES

PARTNO	PACKAGE
LEKH-4.5	1000


90° LED HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm



MOUNTING HOLES

PARTNO	C	PACKAGE
LEAK-17.5	4.1	1000



MOUNTING HOLES

- ◆ FOR 3 PINLED

PARTNO	C	PACKAGE
LEAK3-17.5	4.1	1000


LED SPACER SUPPORT

TOPTEK®
HARDWARE ELECTRONIC MANUFACTURER

 www.toptek-co.com



- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94V-2/94V-0
- ◆ COLOR: NATURAL/BLACK
- ◆ UNIT: mm




PART NO	PACKAGE
LEDA-15	1000

3

OPTICAL LENS HOLDER

- ◆ MATERIAL: NYLON 66 (UL)
- ◆ FLAME CLASS: 94HB
- ◆ COLOR: BLACK
- ◆ UNIT: mm



PART NO	PACKAGE
PLT130T	1000

