


IDC Socket / Minimatch FPC-FFC / D-Sub Connectors













TOPTEK®

HARDWARE ELECTRONIC MANUFACTURER



www.toptek-co.com

TOPTEK srl
10015 - IVREA (TO) - ITALY
tel. +39 0125 251 211 - fax +39 0341 367 607
info@toptek-co.com



CONNECTORS MANUFACTURER

TOPTEK®
HARDWARE ELECTRONIC MANUFACTURER

www.toptek-co.com


4
*
2

Mini Match



RoHS


Pitch 2.54mm



MIBPI3 - XX - U
1 2

1.No. of Contacts(04~20)
2.RoHS + Nylon 46


Pitch 2.54mm



MIDPI3 - XX - U
1 2

1.No. of Contacts(04~20)
2.RoHS + Nylon 46


Pitch 2.54mm



MIMR - XX - U
1 2

1.No. of Contacts(04~20)
2.RoHS + Nylon 46


Pitch 2.54mm



MIMS - MXX - U
1 2

1.No. of Contacts(04~20)
2.RoHS + Nylon 46


Pitch 2.54mm



MIMS - XX - U
1 2

1.No. of Contacts(04~20)
2.RoHS + Nylon 46


Pitch 2.54mm



MIMAS - XX - U
1 2

1.No. of Contacts(04~20)
2.RoHS + Nylon 46


Pitch 2.54mm



MIMM - XX - U
1 2

1.No. of Contacts(04~20)
2.RoHS + Nylon 46

Pitch 2.54mm



MIMAM - XX - U
1 2

1.No. of Contacts(04~20)
2.RoHS + Nylon 46


Pitch 0.2mm H= 1.2mm
ZIF



FPC9AMR1C - $\frac{XX}{1} - \frac{U}{2}$

1. No. of Contacts (24~120)
2. RoHS + LCP

Pitch 0.3mm
ZIF



FPC6AMR1 - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(13~71)
2.RoHS + LCP


Pitch 0.5mm H=2.0mm
ZIF



FPC4AMR1 - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(04~50)
2.RoHS + Nylon 46

Pitch 0.5mm H=1.0mm
ZIF



FPC4AMR1B - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(04~50)
2.RoHS + LCP

Pitch 0.5mm H=1.2mm
ZIF



FPC4AMRT1 - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(04~50)
2.RoHS + Nylon 46


Pitch 0.5mm
ZIF



FPC4AMS1 - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(04~50)
2.RoHS + Nylon 46


Pitch 0.5mm H=0.98mm
ZIF



FPC4AMR2C - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(04~40)
2.RoHS + LCP


Pitch 0.5mm H=2.0mm
ZIF



FPC4AMR6 - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(03~61)
2.RoHS + Nylon 6T


Pitch 0.5mm
ZIF



FPC4AMS6 - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(03~61)
2.RoHS + Nylon 6T


Pitch 0.5mm H=2.0mm
ZIF



FPC4AMR8C - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(06~50)
2.RoHS + Nylon 6T

Pitch 0.5mm
Non ZIF



FPC4BMR1 - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(04~50)
2.RoHS + Nylon 46

Pitch 0.5mm H=1.2mm
Non ZIF



FPC4BMR1A - $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(04~50)
2.RoHS + Nylon 46

CONNECTORS MANUFACTURER

TOPTEK®
HARDWARE ELECTRONIC MANUFACTURER

www.toptek-co.com

5
*
2

PC / FFC Connectors

F

Pb

RoHS

Pitch 0.8mm H=2.4mm

ZIF




FPC8AMR2 - XX - U
1 2

1.No. of Contacts(04~35)
2.RoHS + Nylon 46

Pitch 1.0mm H=1.2mm

ZIF




FPC3AMR1 - XX - U
1 2

1.No. of Contacts(04~24)
2.RoHS + Nylon 46

Pitch 1.0mm H=1.2mm

ZIF




FPC3AMRT1 - XX - U
1 2

1.No. of Contacts(04~24)
2.RoHS + Nylon 46

Pitch 1.0mm

ZIF




FPC3AMS1 - XX - U
1 2

1.No. of Contacts(04~24)
2.RoHS + Nylon 46

Pitch 1.0mm

ZIF



FPC3AMR6 - XX - U
1 2

1.No. of Contacts(04~30)
2.RoHS + Nylon 6T

Pitch 1.0mm

ZIF




FPC3AMS6 - XX - U
1 2

1.No. of Contacts(04~60)
2.RoHS + Nylon 46

Pitch 1.0mm H=4.0mm

ZIF



FPC3AR1 - XX - U
1 2

1.No. of Contacts(04~32)
2.RoHS + Nylon 46

Pitch 1.0mm

ZIF




FPC3AS1 - XX - U
1 2

1.No. of Contacts(04~32)
2.RoHS + Nylon 46

Pitch 1.0mm H=1.2mm

Non ZIF




FPC3BMR1 - XX - U
1 2

1.No. of Contacts(04~24)
2.RoHS + Nylon 46

Pitch 1.0mm H=1.2mm

Non ZIF




FPC3BMR1A - XX - U
1 2

1.No. of Contacts(04~24)
2.RoHS + Nylon 46

Pitch 1.0mm

Non ZIF




FPC3BMS1 - XX - U
1 2

1.No. of Contacts(04~32)
2.RoHS + Nylon 46

Pitch 1.0mm


Non ZIF



FPC3BR1 - XX - U
1 2

1.No. of Contacts(04~32)
2.RoHS + Nylon 46

Pitch 1.0mm
Non ZIF



FPC3BS1 - XX - U
1 2

1.No. of Contacts(04~32)
2.RoHS + Nylon 46


Pitch 1.0mm
Non ZIF



FPC3BMR6 - XX - U
1 2

1.No. of Contacts(02~36)
2.RoHS + Nylon 6T

Pitch 1.0mm
Non ZIF



FPC3BMS6 - XX - U
1 2

1.No. of Contacts(02~36)
2.RoHS + Nylon 46

Pitch 1.0mm
Non ZIF



FPC3BRL6 - XX - L
1 2

1.No. of Contacts(02~36)
2.RoHS + PBT


Pitch 1.0mm
Non ZIF



FPC3BR6 - XX - U
1 2

1.No. of Contacts(04~30)
2.RoHS + Nylon 6T


Pitch 1.0mm
Non ZIF



FPC3BS6 - XX - U
1 2

1.No. of Contacts(04~30)
2.RoHS + Nylon 6T


Pitch 1.25mm
ZIF



FPC2AR - XX - L
1 2

1.No. of Contacts(03~32)
2.RoHS + PBT


Pitch 1.25mm
ZIF



FPC2AS - XX - L
1 2

1.No. of Contacts(03~32)
2.RoHS + PBT


Pitch 1.25mm
Non ZIF



FPC2BMR6 - XX - U
1 2

1.No. of Contacts(03~30)
2.RoHS + Nylon 6T

Pitch 1.25mm
Non ZIF



FPC2BMS6 - XX - U
1 2

1.No. of Contacts(03~30)
2.RoHS + Nylon 6T


Pitch 1.25mm
Non ZIF Dual Contact



FPC2BR6 - XX - U
1 2

1.No. of Contacts(03~30)
2.RoHS + Nylon 6T

Pitch 1.25mm
Non ZIF Dual Contact



FPC2BS6 - XX - U
1 2

1.No. of Contacts(03~30)
2.RoHS + Nylon 6T

CONNECTORS MANUFACTURER

TOPTEK®
HARDWARE ELECTRONIC MANUFACTURER

www.toptek-co.com

5
*
4

PC / FFC / D-SUB Connectors

F

Pb

RoHS

Pitch 1.25mm
Non ZIF Single Contact



FPC2BRS6 - $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(04~30)
2.RoHS + PBT


Pitch 1.25mm
Non ZIF Single Contact



FPC2BSS6 - $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(04~30)
2.RoHS + PBT


Pitch 2.54mm
Non ZIF Dual Contact



FPC1DR6 - $\frac{XX}{1} - \frac{L}{2}$


1.No. of Contacts(02~27)
2.RoHS + PBT

Pitch 2.54mm
Non ZIF Dual Contact



FPC1DS6 - $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(02~27)
2.RoHS + PBT



HPCENR - MF $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(14,20,26,
36,50,68,100)
2.RoHS + PBT




HPDDBR - MF $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(26,40,50,
68,100)
2.RoHS + PBT



DHPDDBR - $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(26,40,50,
68,100)
2.RoHS + PBT



HPDDBD - MF $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(26,50,68,
100)
2.RoHS + PBT



HPDDBI - MF $\frac{68}{1} - \frac{L}{2}$

1.No. of Contacts(68)
2.RoHS + PBT




HPDDBI - PM $\frac{68}{1} - \frac{L}{2}$

1.No. of Contacts(68)
2.RoHS + PBT




MNHDBMA - F $\frac{15}{1} - \frac{U}{2}$

1.No. of Contacts(15)
2.RoHS + PBT



MNHDBR - F $\frac{15}{1} - \frac{L}{2}$

1.No. of Contacts(15)
2.RoHS + PBT



HDBR - M/F $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(15,26,44,62)
2.RoHS + PBT




DHDBR - $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(15,26,44,62)
2.RoHS + PBT



HDBS - M/F $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(15,26,44,62)
2.RoHS + PBT



HDBD - M/F $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(15,26,44,62)
2.RoHS + PBT



HDBC - M/F $\frac{XX}{1} - \frac{L}{2}$


1.No. of Contacts(15,26,44,62)
2.RoHS + PBT



HDDE - M/F $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(15,26,44,62)
2.RoHS + PBT

Waterproof



WHDBR - M/F $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(9,15,25)
2.RoHS + PBT

Waterproof



WHDBD - M/F $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(9,15,25)
2.RoHS + PBT

Waterproof



WHDBS - M/F $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(9,15,25)
2.RoHS + PBT




MNDBM - M/F $\frac{XX}{1} - \frac{U}{2}$

1.No. of Contacts(9,25)
2.RoHS + Nylon 6T



MNDBR - M/F $\frac{XX}{1} - \frac{L}{2}$

1.No. of Contacts(9,25)
2.RoHS + PBT



DBR $\frac{1/2/3}{1} - \frac{M/F}{2} \frac{XX}{3} - \frac{L}{3}$

1.1:7.2mm/2:9.4mm/3:13.84mm
2.No. of Contacts(9,15,25,37)
3.RoHS + Nylon 6T

CONNECTORS MANUFACTURER

TOPTEK®
HARDWARE ELECTRONIC MANUFACTURER

www.toptek-co.com


5
*
6

- SUB Connectors

D


Pb

RoHS




DDBR A/B/C - M/F XX - L
1 2

- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT



DBS - M/F XX - L
1 2

- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT



DBD - M/F XX - L
1 2


- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT

Pressing Fit Type



DBDF - M/F XX - L
1 2

- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT



DBDA - M/F XX - L
1 2

- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT


Machine Pin



MDBR1/2 - M/F XX - L
1 2

- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT

Machine Pin



MDBS - M/F XX - L
1 2

- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT

Machine Pin




MDBD - M/F XX - L
1 2

- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT



DBC - M/F XX - L
1 2

- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT



DBE - M/F XX - L
1 2


- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT



DBI 1/3 - M/F XX - L
1 2 3

- 1.1:H=1.0mm/3:H=3.0mm
- 2.No. of Contacts(9,15,25,37)
- 3.RoHS + PBT

Waterproof



WDBR - M/F XX - L
1 2

- 1.No. of Contacts(9,15,25,37)
- 2.RoHS + PBT

Waterproof



WDBD - M/F XX - L
1 2


1.No. of Contacts(9,15,25)
2.RoHS + PBT

Waterproof




WDBS - M/F XX - L
1 2

1.No. of Contacts(9,15,25)
2.RoHS + PBT




CENR - F XX - L
1 2

1.No. of Contacts(36,50)
2.RoHS + PBT




CENRA - F XX - L
1 2

1.No. of Contacts(36,50)
2.RoHS + PBT




CENDB - M XX - L
1 2

1.No. of Contacts(14,24,
36,50)
2.RoHS + PBT




CEND - F XX - L
1 2

1.No. of Contacts(14,24,
36,50)
2.RoHS + PBT




CENSA - M XX - L
1 2

1.No. of Contacts(14,24,36,
,50)
2.RoHS + PBT




CENSB - M XX - L
1 2

1.No. of Contacts(36,50)
2.RoHS + PBT




CENS - F XX - L
1 2

1.No. of Contacts(14,24,36,
,50)
2.RoHS + PBT




CENA - F XX - L
1 2

1.No. of Contacts(14,24,36,
,50)
2.RoHS + PBT



CENAA - M XX - L
1 2

1.No. of Contacts(14,24,36,
,50)
2.RoHS + PBT



DVIR - F 24 - L
1 2

1.No. of Contacts
2.RoHS + Nylon 66

CONNECTORS MANUFACTURER

TOPTEK®
HARDWARE ELECTRONIC MANUFACTURER

www.toptek-co.com


5
*
8

VI / HDMI Connectors

D


Pb

RoHS




DVIR - F 29 - L
1 2

1.No. of Contacts
2.RoHS + Nylon 66




DVID - F 24 - L
1 2

1.No. of Contacts
2.RoHS + Nylon 66




DVID - F 29 - L
1 2

1.No. of Contacts
2.RoHS + Nylon 66




DVIS - F 24 - L
1 2

1.No. of Contacts
2.RoHS + Nylon 66




DVIS - F 29 - L
1 2

1.No. of Contacts
2.RoHS + Nylon 66




DVIS - M24 XX - L
1 2

1.No. of Contacts
2.RoHS + PBT




DVIS - M29 XX - L
1 2

1.No. of Contacts
2.RoHS + PBT




HDMI - M 19 - A - U
1 2

1.No. of Contacts
2.RoHS + Nylon 9T




HDMI - M 19 - B - U
1 2

1.No. of Contacts
2.RoHS + Nylon 9T




HDMIM - F 19 - A - U
1 2

1.No. of Contacts
2.RoHS + LCP



HDMIM - F 19 - B - U
1 2

1.No. of Contacts
2.RoHS + LCP



HDMIR - F 19 - U
1 2

1.No. of Contacts
2.RoHS + LCP